

**From:** Ex. 4 - CBI  
**Sent:** 2/9/2012 11:36:17 AM  
**To:** Fred Foreman/ESC/R3/USEPA/US@EPA; Terry Simpson/ESC/R3/USEPA/US@EPA  
**CC:** Colleen Walling/ESC/R3/USEPA/US  
**Subject:** Fw: 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

Per Fred's request.

**Ex. 4 - CBI** Center

----- Forwarded by Ex. 4 - CBI on 02/09/2012 11:36 AM -----

**From:** Ex. 4 - CBI  
**To:** Richard Fetzer/R3/USEPA/US@EPA  
**Cc:** Ex. 4 - CBI, gnance@techlawinc.com  
**Date:** 02/08/2012 05:21 PM  
**Subject:** 180-3644-1 - Validated Electronic Data for Dimock Residential Groundwater

Richard Fetzer  
US EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103-2029

Dear Richard,

Attached to this message you will find electronic files containing the validation report and validated inorganic data for the Dimock Residential Groundwater site, Case # 180-3644-1. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Colleen Walling by phone at 410-305-2763 or e-mail at Walling.Colleen@epa.gov if additional assistance is needed.

TO # 0037 TDF # 02025A

**Ex. 4 - CBI**